

ENVIRONMENT AND LOCATION

Agreements regarding the location of charging stations, e.g. signage and wiring.

Sub-category	ID	Subject description	Guideline description	Required; Desired*	Priority**	Comments
Signage	OL1	Standard sign	The signage must make use of the EV sign standards (such as E4-OB, E8-OB and sub-signs OB-304 and OB-504: 'Charging of electric vehicles' or 'Electric vehicles only'). These signs are recognised in the national Road Traffic and Traffic Signals Regulations (Reglement Verkeersregels en Verkeerstekens, RVV). In the long term, this will be replaced with a new RVV sign.	Required	Include	
Signage	OL2	Sign height	The sign is fastened to a fingerpost with a minimum clearance of 2,200 mm or on existing objects. When placing a fingerpost, service at the charging station must be taken into consideration (opening the car door and space to work).	Required	Include	
Signage	OL3	Two arrows in the case of two charge locations	When there are two charge locations, the sign or sub-sign should have two arrows.	Required	Include	
Signage	OL4	Warnings: tow warning	If applicable, the sign (or a separate sign beneath it) can include a tow warning, including text indicating when this applies.	Required	Include	OB-304 Sub-sign
Location	OL5	Sign location	The sign should be placed in a central location in relation to the parking spaces and the charging station.	Required	Include	
Location	OL6	Avoiding hindrance to other traffic	The charging station must be placed in a location that does not pose a hindrance to other traffic.	Required	Include	
Location	OL7	Distance to the main cable	The charging station must be placed within 25 meters of the main cable. The grid operator can charge more for locations with distances of more than 25 meters.	Required	Include	
Location	OL8	Location of low-voltage cable: preferred side of the road	The charging station should be placed on the side of the road where the grid operator's low-voltage cable is located.	Desired	Include	

For * and **: definitions on page 7.

ENVIRONMENT AND LOCATION

Sub-category	ID	Subject description	Guideline description	Required; Desired*	Priority**	Comments
Location	OL9	Clean soil	The charging station should be placed in a location for which it is known that there is a clean soil statement (schonegrond-verklaring) (often available through the soil map).	Desired	Include	
Location	OL10	Not near trees	Because of digging, the charging station should not be placed near trees.	Required	Include	
Location	OL11	Not near other street furniture	The charging station should not be placed within X meters of other street furniture.	Desired	Include	Municipalities indicate their own minimum distance to street furniture at X based on policy.
Location	OL12	Not near areas with special traffic regulations	In particular within city limits, the charging station should not be placed in areas that have special traffic regulations. This is to ensure the accessibility of the charging station. A traffic order can offer a definite answer in such a situation.	Desired	Include	
Municipal policy	OL13	Stimulating flow when leaving charging station	The contractor will confer with the relevant municipality regarding parking policy and ensuring flow of vehicles once they are charged.	Desired	Recommended	Policy item for municipal authorities. Future guideline.
Municipal policy	OL14	Installation and modification of parking policy	Current or changed parking policy within a municipality shall not exempt the contractor from installing a charging station at the location in question.	Desired	Recommended	Policy item for municipal authorities. Future guideline.
Municipal policy	OL15	Certainty with regard to the location of the charging station	The charging station is placed on land owned or managed by the municipality in question. The municipality shall endeavour to ensure that the charging station can continue to exist until the end of the period of operation.	Desired	Recommended	Policy item for municipal authorities. Future guideline.
Municipal policy	OL16	Additional location requirements	The contractor must take into account any additional requirements and/or location requirements of the municipality concerned.	Desired	Recommended	Policy item for municipal authorities. Future guideline.

For * and **: definitions on page 7.